DATASHEET gloCOM 7.0

viki bicomsystems c



gloCOM

A powerful desktop and mobile application specifically designed to take your business communications to a whole new level. Its main purpose is to simplify and enhance your day-to-day communications experience.

It packs everything you need for a successful collaboration with your staff including Messaging, Conferencing, CRM access, Faxing, File Sharing functionalities, and all of that within a single and comprehensive desktop application interface.

Date modified: September 19, 2023

Desktop OS platforms that support installation of gloCOM client.

MS Windows

gloCOM can be installed and used on MS Windows 64-bit platforms and above).

MAC OS X

gloCOM can be installed and used on MAC OS X platforms (10.12 and

Linux

gloCOM can be installed and used on Linux Ubuntu 64-bit platforn above).

Windows server

gloCOM can be installed and used on Windows Server in terminal envir and above).

Minimum requirements

Although gloCOM should work on any computer able to run supported operating systems, minimum be met to install it and prevent call quality issues.

PBXware 6

gloCOM requires PBXware 6.x to operate. Third party PBX's are not su

HDD Space

gloCOM requires up to 70 MB of free HDD space to install.

Broadband internet connection

Stable broadband internet connection is an essential factor in VoIP VoIP traffic is highly susceptible to latency and lost packets.

_	

5				
	office	business	agent	supervisor
ns (Windows 7				
above).				
ms (12.04 and				
ironment (2012				

n requirements should	office	business	agent	supervisor
upported.				
call quality as				

Phone module

gloCOM phone module is one of the main features of this product. Option to use it as a softphon deskphone and even mobile phones provide you with indispensable tools to boost your productivity workflow. When not used in softphone mode, the phone module has full functionality regardless of t is used with.

Personal Dialer

This feature enables users to load a CSV file inside GloCOM and to from that file one after another.

SoftPhone

gloCOM Softphone mode allows you to make calls from your PC with deskphone.

Office phone

gloCOM Office phone mode allows you to use gloCOM in integrat deskphone, enabling you to use gloCOM to make, transfer and park app itself while talking on your deskphone.

Polycom integration

This feature ensures Polycom deskphone will work seamlessly with gloC

Callback to GSM/PSTN numbers

Besides your deskphone, gloCOM can also call back any phone numl landline. Once you answer the call on your mobile phone, for example be able to use all the features available in gloCOM to control the ca desktop application.

gloCOM GO mobile app

While on a phone call with gloCOM GO mobile app, you can still be of the advanced features/call control of the desktop app. For examp using the mobile app, at the same time from a desktop app you are call transfer, add another user to the conference, park a call... This e continue your conversation on a mobile app while browsing the call o gloCOM desktop app.

e				
ne or integrated with ty and speed up your the SIP device type it	office	business	agent	supervisor
o dial numbers	0			
hout using the	0			
tion with your calls from the				
COM software.	0			
nber, mobile or le, you will still all through the	0			
enefit from all ple, if you are re able to use enables you to options in the				

OPUS codec

Support for the Opus codec in softphones for improved voice quality.

Echo cancellation

Software echo cancellation for softphone.

Basic Phone operations and Call control

Video Calling

gloCOM enables you to place, receive and control video calls on any softphone that supports video calls.

Voicemail

When using gloCOM you will be able to play, rewind, pause, delete and messages to a different folder from your PC.

Answer a call

You can answer the call straight from your desktop application. Once the call, it will be automatically answered on speakerphone of your de

Hangup / Reject the call

You can hangup ongoing or reject incoming call on your deskphone desktop app.

Concurrent sessions

You are able to see information about multiple calls and switch betwee using gloCOM desktop app. The number of concurrent sessions is number of lines for specific extension. Office edition can not show m call at a time.

0		
0		

	office	business	agent	supervisor
deskphone or	0			
nove voicemail				
ce you accept eskphone.				
from gloCOM				
en them easily s equal to the more than one	0			

Transfer a call

gloCOM allows you to do a call transfer (blind / supervised / xfer / de while on active call, by simply draging the call icon and dropping it to user in your gloCOM list. Alternatively, to transfer calls to external nur press Transfer button and enter any number you would like to transfer

Hold / Resume call

Hold/Resume option allows you to place call on hold or to resume clicking the button in your gloCOM app.

Redial

Redial option allows you to dial the last number you dialed with a singl

Mute

If necessary, gloCOM allows you to mute your speaker or mic with a si

Speakerphone paging

Speakerphone paging option allows you to place your call on deskpho speakerphone by clicking the button in your gloCOM app.

Call recording

gloCOM allows you to start, stop, pause and resume call recording w call. When this feature is in use you will be able to see call recording st in your gloCOM interface .In order for this feature to work, extension Instant recording enabled in Enhanced Services.

Switch device

Ability to switch between deskphone, softphone, mobile app or any call

Call encryption indicator

In-call indicator when call is using TLS/SRTP encryption.

evice transfer) o any PBXware umber you can r the call to.		
e it, by simply		
Jle click.		
single click.		
one		
while on active status indicator ion must have		
llback number.		

Call on available

Reminder to call a user that is busy or in DND mode as soon as he beco

Call Quality Metrics

Call Quality Metrics provide the user details about the call and network a call.

Auto answer

Allows the user to set timer on incoming calls and answer incoming calls without using the answer button.

Unified Communication

Unified Communications Features are essential set of tools which is intergrating organisations, use much more productive business units.

PBXware Directory

gloCOM main window will display PBXware contacts directory with o contacts as well as to set alias for any of your contacts.

Instant Messaging by Chat

Chat with one or more Users (single & group chat) at the same time searchable History of every IM conversation. gloCOM also allows yo message delivery status (sending, sent, delivered, seen, failed).

Unified call history

Synced call history between all applications on all devices for 1 extens

Real-time messages sync

gloCOM makes sure that any sent/received message is available in all of your logged-in devices. You will also receive push notifications messages on your mobile device.

omes available.				
k quality during				
s automatically				
ns Feature	es			
ers and services into	office	business	agent	supervisor
option to hide				
ne, and keep a ou to see chat				
sion.				
n real-time on s for incoming				

Chat full history sync

gloCOM makes sure that when you log in, your chat history is alway that you have all messages available on your device.

File sharing

gloCOM allows you to Send and Receive files. You can either click send then navigate to the file you would like to send, or you can simply d the file in your chat window. Files are stored permanently and can be until expiration time is reached. Expiration time can be modified on image and video files there is a thumbnail which is automatically down can be sent in single conversations and as well as in group conversation conversation you can see all sent/received files in the Files overview s

Drag and Drop

You can use simple drag and drop actions to add users to call/cha group chat, make blind or attended transfers, drop file to Chat for tran active calls by simply draging the call icon of one call and dropping it to of the second call.

Start chat from call and vice - versa

gloCOM allows you to initiate the call from the chat window by clicking it also allows you to start the chat from the call window in the same m

Adding user(s) to an existing chat conversation

When adding users into the currently selected conversation you callist by searching for a user's name or extension. You can also filter by or even add a whole department into the conversation. Added partic read previous messages in the conversation.

Removing users from existing chat conversations

Admin of the group conversation can remove one or more participa group.

ys synced and		
nd file icon and drag-and-drop e downloaded PBXware. For vnloaded. Files ations. For any screen.		
at/conference/ ansfer, join two to call window		
g call icon, but nanner.		
an filter users by department, cipants cannot		
oants from the		

Pinning of chat conversations

Users can pin their most important conversation so that they appear list above all others.

Pinning of chat message

Users can pin their most important message inside one chat conversion they appear on top of the conversation screen.

Forwarding of chat messages

Users can forward existing text/file chat messages from one conversati

Typing notifications

Users can see the info if one or more users are typing in single or group

Support for disabling chat

PBXware admin can now disable chat for certain editions which will c to be hidden in the app.

SMS support

Ability to send and receive SMS.

MMS support

Ability to send and receive MMS.

SMS support + sync

The ability to send and receive SMS that is synced between devices (me and web app).

MMS support + sync

The ability to send and receive MMS that is synced between devices (mo and web app).

Marking chat conversations as unread

User can mark any chat conversation as unread to keep it on highlighte

r on top of the		
rsation so that		
tion to another.		
o conversation.		
cause the chat		
nobile, desktop		
nobile, desktop		
ed and on top.		

Delete chat message for yourself

User can delete any chat message for himself.

Delete chat message for everyone

User can delete the message that he/she has sent for everyone.

Reorder pinned chats

User can reorder his/her pinned chat conversations.

Paste images from clipboard to chat

User can paste images directly from clipboard to chat conversations.

Reply to chat message

User can now reply to any incoming/outgoing message.

Chat Voice Messages

Ability to record and send voice message in chat conversations as well as voice message.

Group Chat Admin Transfer

Ability to transfer admin of group chat or to takeover a group chat when the group.

Chat message status info

Ability to see message status info for group messages (to whom the been delivered and who has seen the message).

Mention participants in a group chat conversations using @Name

User can mention one or more participants and provide the context of the within the message. The mentioned participants will receive a notification group conversations they have currently muted.

Shared group chats

Shared groups are groups with visible chat history, meaning the full chat available to newly added participants.

s play received		
n admin leaves		
e message has		
neir mentioning ion even in the		
t history will be		

Faxing

You are able to send any document as fax directly from it's native applied Excel etc...), or send faxes directly from gloCOM (PDF files only). In can also receive faxes and view them on your computer. Fax history fe you an option to check all incoming and outgoing faxes and filter them

Presence

gloCOM brings a unified presence that is synced across all of your dev and Mobile). For a currently online user you can see if they are of Desktop, via Mobile or even both. For users who are not currently co can see when was their last activity, in order to have a better understa availability. Also, when there is no user activity on your computer for a of time gloCOM can inform other users that you are away from your de

MS Outlook

You can sync Outlook contacts with your gloCOM contact list. This to call any of them either from gloCOM or from Outlook using integ plugin. This will allow you to see the name of your contact whenever receive a call from the number associated with one of your Outlook Outlook must be installed).

MS Outlook Presence - Calendar integration

Automatically integrates user's Presence status based on t appointment setup. However, the user can still adjust the status as well as custo presence description according to their needs.

MS Exchange

You are able to sync Exchange contacts with gloCOM which will allow yo either from gloCOM or from Outlook, using integrated Outlook plugin. W initiate or receive a call, you will be able to see the name of your Exch that is calling you. (MS Exchange, and Outlook must be installed).

lication (Word, addition, you eature will give m by date.	0		
vices (Desktop connected via onnected, you anding of their certain period lesk.			
will allow you grated Outlook you initiate or contacts. (MS			
their Outlook neir Presence 5.			
ou to call them Whenever you hange contact			

Apple Address Book

You are able to sync your Adressbook contacts with gloCOM which wi call them from gloCOM. Whenever you initiate or receive a call, you see the name of Adress book contact that is calling you.

Google Contacts

You are able to import your google contacts into gloCOM which will allo them from gloCOM. Whenever you initiate or receive a call, you will b the name of google contact that is calling you.

Central Phone Book

Central Phone Book is a centralized list of contacts managed by administrator. It is shared across all gloCOM users, and synced toge rest of your contacts. Besides contacts managed by the administrate can manage his own personal list of contacts. This personal list is privational only to you, and can be managed through Online Self Care.

Send vCard (contact sharing)

You can share contact details with another gloCOM user by sending vCa you would like to share. You can share this by gloCOM or via email.

Test audio devices in Preferences

Ability to select and test microphone, speaker and ringing device used

Custom softphone ringtone

Ability to mute, use default or choose your MP3 or WAV file for softphe

Change Microphone, Speaker, and Ringing Device from phone mo or while in call

Ability to change your microphone, speaker, and ringing device du before starting a call.

vill allow you to will be able to		
llow you to call be able to see		
the PBXware ether with the itor, each user ate and visible		
ard for contact		
d for calls.		
none ringtone.		
odule window		
uring a call or		

Browser Integration

gloCOM's Click to Dial plugin supports all major web browsers: Firefox Internet Explorer/Edge and Safari. This plugin allows you to initiate t web browser.

Kuando Busylight integration

Kuando Busylight calls and presence integration for latest Kunahardware

Conferencing Fea

Instant Conferencing

You can create and control instant conference calls on any SIP phone

Convert 2 party call to conference

gloCOM enables you to do a seamless transition from regular cal conference by simply dragging one or more contacts from your contact live call window.

Invite external phone numbers

In addition to option to drag and drop gloCOM contacts to live call, invite any external phone number to the conference, by clicking + icon number you would like to join the conference.

Defined Conferencing

gloCOM provides you an overview and control of defined conference use of any SIP phone or SoftPhone, and allows you add participants and drop feature or by instructing the PBXware to call out external would like to add to the conference call.

x, Chrome, MS the calls from				
ado BusyLight				
tures				
	office	business	agent	supervisor
e or softphone.				
II to a instant act lists into a				
, you can also n and entering				
ce rooms, with by using drag numbers you				

Start conference from group chat and vice - versa

gloCOM allows you to initiate the conference from the group chat wind call icon, but it also allows you to start the group chat from the confer in the same manner.

Advanced Unified Communic

DNS SRV SIP discovery and failover

DNS SRV SIP discovery and parallel SIP registration to implement failo

Easy Caller ID selection

When list of Caller IDs is created in extensions Enhanced Services use select a Caller ID, they would like to use, from the drop down list. One made, selected Caller ID will be used for outbound calls.

Softphone & deskphone mode display for DTMF Digits

Improved dialer module to display entered DTMF on the screen. For e user dials voicemail and presses 2351 on the keyboard, no audio notif played but user can see it on screen.

Call parking

Call parking feature enables you to easily park an incoming call by button. gloCOM gives you an option to view the list of parked calls an parked by other extensions.

Notifications

gloCOM provides number of different popup notifications in order about event that occured. List of notifications includes notifications call, new IM message, contact joined the conference, contact online/ These notifications are available on every supported OS while Windows in-popup call control (Accept/Reject).

dow by clicking erence window					
cations Features					
	office	business	agent	supervisor	
over.	0				
sers are able to ace selection is					
example, when ification will be					
y clicking park nd pickup calls					
to inform you for: incoming e/offline status. vs also includes					

Multilingual support

gloCOM desktop is translated to several world languages. In case you not available, it is possible to obtain translation files from Bicom Syste you return the translation back to us we will be glad to create a custor in your language for you.

OSC - Online Self Care

gloCOM offer access to Online self care platform through integrat Dashboard in OSC window.

Quick Configuration

gloCOM configuration procedure is fast and with minimal number of s entry needed.

Automatic updates through Bicom Release Manager

Automatic updates for gloCOM version 4.2.0 and later will be managed the Release Manager (BRM) platform. This platform and its management allows users full control over release of new gloCOM versions across specific PBXware systems our partners have control of. Along with sy update control BRM allows you to manage gloCOM updates even on te

QoS for Windows and Mac

QoS for Windows and Mac. Glocom voice packets have higher priorit routers that have QoS support.

Submit Feedback option

Users can send feedback, through the feedback form.

Default ring tones

Default ring tones are different for inbound and outbound calls when us softphone Before it was the same ring tone and it was hard to distinguit was an inbound or outbound call.

our language is tems and once omized version			
ated extension		0	
steps and data			
through Bicom ent capabilities s all or only to ystem specific tenant level.			
ty through the			
using uish whether			

Block Caller ID enhanced service in gloCOM

Users are able to block caller ID directly from gloCOM. Two options "Hide Caller ID" and "Hide Caller ID for next call only".

QR code generator for mobile app

Option to show QR code for quick sign-in via mobile applications.

Chat Feature Flagging

Ability to toggle (on/off) all chat features from PBXware admin GUI.

CRM Integratio

gloCOM integration will Use URL popup events in order to integrate with any 3rd party CRM systeries settings, popups will be used for inbound and outbound calls, once call is answered or whe users extension. Call logs will be uploaded to CRM

SugarCRM

gloCOM offers full support for SugarCRM, including Click to dial and c upload.

Zoho

Integration with Zoho CRM does support Click to Dial and call record to the CRM.

SalesForce

Integration with SalesForce CRM support Click to dial and call record feature, however, while Click to Dial works with Classic interface in not supported.

Microsoft Dynamics

Integration with Microsoft Dynamics does not support Click to Dial featur in case customer is not added in the CRM, call recording will not be upl agent creates a contact before call is finished.

s are available:				
DN				
stems. Depending on hile call is still ringing	office	business	agent	supervisor
call recordings	optional	optional	optional	optional
dings uploads	optional	optional	optional	optional
ordings upload Lightning it is	optional	optional	optional	optional
ure. In addition, bloaded unless	optional	optional	optional	optional

Bullhorn

Integration with Bullhorn CRM supports call recordings upload but doe Click to Dial feature.

ZenDesk

Integration with ZenDesk CRM supports call recordings upload but doe Click to Dial feature.

Vtiger

Integration with Vtiger CRM supports call recordings upload but does call log when call starts feature.

Pipedrive

Integration with Pipedrive CRM supports call recordings upload but doe call log when call starts feature.

SuiteCRM

Integration with Suite CRM supports call recordings upload but does call log when call starts feature.

Modules

Generic CallPopup module

Generic Call Popup module allows customer to use gloCOM's Pus integrate with other browser-driven third-party CRM solutions. In ord work, custom modification on CRM part is necessary. Users can specifile, APP in MacOS, that will be executed in Call Popup module.

Skype for Business module

Integration between Skype For Business client and user's phone syste

es not support	optional	optional	optional	optional
es not support	optional	optional	optional	optional
es not support	optional	optional	optional	optional
es not support	optional	optional	optional	optional
es not support	optional	optional	optional	optional
	office	business	agent	supervisor
sh call info to der for this to ify URL or EXE	optional	optional	optional	optional
em (PBXware).	optional	optional	optional	optional

PBXware admins have some control over meeting options and management. All options are a

iTunes integration

On MacOSX when user places/receives a call, iTunes is paused autom call is finished, iTunes continues to play music.

Telephony URI handling

It is possible to set gloCOM as default app to open "tel://", "sip://", "glocom://" URIs. which will allow you to use them to initiate calls with

Outlook Click2Dial

Outlook Click to Dial plugin allows the user to dial contacts directly contact list with one click.

Outlook contact popup

Configurable option when "Add new Outlook contact" popup will sh can choose when popup will be displayed. Available options are: ne when call is started, when call is answered, when answered call is finis

Browser Click2Dial

gloCOM's Click to Dial plugin supports all major web browsers: Firefox Internet Explorer/Edge and Safari. This plugin allows you to initiate cal phone numbers from web browser with a single click.

E-mail client Integration

E-mail client integration allows you to send e-mails from gloCOM to contacts by using your default e-mail client.

IP Camera support

gloCOM provides you with option to connect any web capable IP came

available per tenant.	office	business	agent	supervisor
natically. When				
"callto://" and gloCOM.				
/ from outlook				
now up. Users never (default), ished.				
x, Chrome, MS Ills to detected				
to any of your				
nera.				

Any audio device supported by OS

gloCOM will use any audio device installed on the OS.

Advanced headset integration with jabra

gloCOM supports full integration with Jabra headsets - users can A Hold/Resume gloCOM calls by using their headset controls.

Advanced headset integration with Plantronics

gloCOM supports full integration with Plantronics headsets - Users Reject/Hold/Resume gloCOM calls by using their headset controls.

Advanced headset integration with Sennheiser

Supported features on the headset (HS):

Incoming call accepted by HS (tap call button while there is an incomir unanswered call)

End active call from HS (tap call button while there is an active call) Incoming call rejected by HS (LONG press call button) (not supported devices)

Hold active call on HS (double tap call button while an active call is no Resume held call on HS (double tap call button while an active call is h Redial call (double tap call button while there are no calls)

Off-hook (tap call button while there are no calls)

On-hook (tap call button after off-hook event)

Mute from HS (tap the mute button while on active call)

Unmute from HS (tap the mute button while muted on active call)

ration				
	office	business	agent	supervisor
Answer/Reject/				
s can Answer/				
ing d for DECT ot held) held)				

Yealink headset integration

Ability to use Yealink headset buttons such as answer, hold, transfer, e

Personalizatio

Different view modes

Use List or Grid (Thumbnail) view modes to view your contacts. Choo of the contact details in List mode. Show/hide contact personal messa in Grid View.

Avatar

Set your avatar image, other contacts will be able to see it.

Status and status message

gloCOM allows you to set your status (Available, Busy, DND, Away) a provide a custom status message to describe your current availabilit these 4 default statuses PBXware administrator can also add stat PBXware GUI and those will appear as an option in gloCOM for all selecting your status you also have to specify status expiration. This let gloCOM revert your status back to Available after a certain period of

Hide contacts in list

Users are able to hide contacts from the list of contacts directly application.

Favorites

Users can make favorites list from the list of available contacts, direc application.

Choose CallerID when sending Fax

gloCOM users can choose caller IDs, from predefined list in PBXware G a fax.

etc.				
n				
	office	business	agent	supervisor
osing the size age and name				
and optionally ity. Aside from tuses through I users. When s allows you to of time.				
from gloCOM				
ctly in gloCOM				
UI, for sending				

Choose preferred module icons

Organize icons option is used to personalize the module icons availab window. Note that the first icon has to be the Phone module, but you on the 5 other icons as it suits your needs.

Multiple Profiles

Multiple profiles (user accounts) can be created. For example, you r create a profile for work and a different profile for personal use, l separate.

Six module icons

There are 6 module icons in the main window for quick access. They can as it suits your needs.

Warning icon in "Contacts" tab

If loading of contacts has failed for whatever reason, we currently disp icon which is fine. But the user should be able to click it and applicati you want to retry?" Instead of opening the 3 dots menu in the mod finding the option "refresh contacts".

Department Filtering

Added "My departments" option in main window departments d This way a user can choose to display only users from his departmen notifications are now shown only for users that are visible in contact from the selected department).

Padlock for Module Windows to stay Open

Phone, Conference, Group chat and Call Parking modules now have icon in the upper left corner. If it is locked window is not closed autom a call is initiated (the conference is joined / group chat joined / call pic parking dialog). In older versions, these modules were automatically cl

PCI compliance

This option in gloCOM 5.3 will detect DTMF from the caller and ente text field by "simulating keypress" with DTMF digit.

ole in the main can rearrange			
might want to keeping them	0		
be rearranged			
play a warning tion to ask "do dules bar, and			
dropdown list. nts. Also, login sts view (users			
ve a "padlock" natically when icked from call closed.			
er them into a			

Custom parking lots

When a user presses "Park" inside call window in gloCOM 5.3, they with a drop-down so they can choose a lot to park.

Deployment feat

Windows instalation with EXE or MSI

Available in two diferent packages. A custom, third-party system in an EXE file. A Windows Installer installation in Exe's are just executables that help to add value or data to But they may not help in maintaining the integrity of the syst Whereas Msi's are executables that not only help with clean installation clean uninstallation of any application thereby restoring back the stability of the system.

Silent installation of msi package / Windows GPO

For auto configuration to work: "Orca" application (by Microsoft) shou generate transformation file glocom.mst, with modified values of profile is then specified in the GPO on Windows Server. Silent install: msie

Silent installation of exe package

For installation to work: special flag should be used "/silent" whil installation.

Shared configuration

Share login configuration between multiple Windows/Mac users on a sin

Configurable features permissions

Permissions are set per tenant and edition in PBXware.

White label documentation available

White label documentation is available for our products. Source of doc available in "ascidoc" for easy transfer and editing. Customers this wa images, screensots and branding information.

1			
office	business	agent	supervisor
	 office o <	 A A A A A A A A A A A A A A A A A A A	•••officebusinessagent••••••••••••••••••••••••••••••••••••••••••••••••••••• </td

System information in About screen

In the gloCOM About dialog all information regarding application ver PBXinformation, libraries and other important info are exposed. This way us access/copy and paste info to email or send to support if needed.

Meeting

Audio/Video Conferencing

Join a meeting with audio and/or video.

Screen Sharing

Basic screen sharing of the current screen.

Application sharing

Share screen of a specific application.

Group chat

Group chat during the meeting between internal and external participa

Webcam sharing

Share webcams from all meeting partcipants.

Call in using computer/device

Enable joining audio conference with device microphone.

Call in using phone (PIN based)

Enable participants to call certain phone number to join the audio confer for certain countries and international numbers. Participants would dia and they would enter meeting number and PIN into IVR which would of to meeting audio conference.

Mouse and keyboard control

Give participants mouse and keyboard control over a shared screen.

rsion, revision, userscaneasily				
	office	business	agent	supervisor
ants.				
erence Toll free ial the number connect them				

Role passing to participants

Pass host or screen sharing role to participant.

Who is speaking

Focuses video of the current speaker and identifies all current speaker participants list.

Instant chat or group-chat to meeting

Ability to start a meeting by clicking on a meeting button inside chat in gloCOM.

Instant turn voice-call or audio conference to meeting

Convert voice call to meeting by clicking on meeting button inside call dialog on gloCOM.

Switch audio device

Ability to switch between softphone or deskphone while inside meeting

Invite participants

Invite more participants during the meeting by dragging and dropping the main application windows to the participants list or by choosing the contact list.

Invite external participants

Invite external participants during the by adding their phone or email.

Remove participant

Dismiss a participant from a meeting.

Scheduling

Schedule an upcomming meeting

beakers in the				
or group chat				
or conference				
ng on gloCOM.				
ing them from them from the				
	office	business	agent	supervisor

Recurring meetings support

Allow support for setting up a recurring meeting (daily, weekly, month other options).

Calendar integration

View all scheduled meetings in calendar (Google Calendar, Apple Cale

thly with some		
endar)		

CONTACT BICOM SYSTEMS TODAY to find out more about our services

Bicom Systems (USA)

2719 Hollywood Blvd B-128 Hollywood, Florida 33020-4821 United States Tel: +1 (954) 278 8470 Tel: +1 (619) 760 7777 Fax: +1 (954) 278 8471

Bicom Systems (FRA) c/o FONIA

Zac du Golf 15 Impasse Oihana 64200 BASSUSSARRY Tel: +33 (0)5 64 115 115 Email: contact@fonia.fr Bicom Systems (CAN) Hilyard Place B-125 Saint John, New Brunswick E2K 1J5 Canada Tel: +1 (647) 313 1515 Tel: +1 (506) 635 1135

Bicom Systems (ITA)

Via Marie Curie 3 50051 Castelfiorentino Firenze Italy

Tel: +39 0571 1661119 Email: sales@bicomsystems.it

email: sales@bicomsystems.com

Follow us

DICOM S Y S T E M S

Copyright Bicom Systems 2023

Bicom Systems (UK) Unit 5 Rockware BC 5 Rockware Avenue Greenford UB6 0AA United Kingdom Tel: +44 (0) 20 33 99 88 00

Bicom Systems (RSA)

12 Houtkapper Street
Magaliessig
2067
South Africa
Tel: +27 (10) 0011390

#